## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Claims 1-14 (Canceled)

15. A method of secondary cardiovascular prevention in a patient, the method comprisina:

formulating a single dosage unit containing a beta-adrenergic blocking agent and a platelet inhibitor wherein the single dosage unit contains a quantity of medications sufficient for secondary prevention of a heart attack in the patient; and

administering the single dosage unit to the patient for secondary prevention of a heart attack.

 The method of Claim 15 wherein the formulating step further includes formulating said dosage unit as a once-a-day dosage unit. 17. A method for secondary cardiovascular prevention in a non-hypertensive patient, the method comprising:

formulating a single dosage unit containing a sufficient quantity of a betaadrenergic blocking agent and a platelet inhibitor for secondary prevention of
a heart attack in the non-hypertensive patient; and
administering the single dosage unit to the non-hypertensive patient for
secondary prevention of a heart attack.

- The method of Claim 17 wherein the formulating step further includes formulating the single dosage unit as a once-a-day dosage unit.
- 19. A method for secondary cardiovascular prevention in a non-hypertensive patient, the method comprising:

formulating a single dosage unit consisting essentially of a sufficient quantity of a beta-adrenergic blocking agent and a platelet inhibitor for secondary prevention of a heart attack in the non-hypertensive patient; and administering the single dosage unit to the non-hypertensive patient for secondary prevention of a heart attack.

Appl. No. 10/828,797

Amdt. dated June 21, 2007 Reply to Office Action dated March 23, 2007

20. A method for secondary cardiovascular prevention in a non-hypertensive patient, the method consisting of:

formulating a single dosage unit consisting of a sufficient quantity of a betaadrenergic blocking agent and a platelet inhibitor for secondary prevention of
a heart attack in the non-hypertensive patient; and
administering the single dosage unit to the non-hypertensive patient for
secondary prevention of a heart attack.